

# COBOS

precision

## FX Splash Series



## The World's First IP65 Compliant, Water / Dust Proof Precision (1mg) Balance!

Compact SHS (Super Hybrid Sensor) 1 Second Stabilization.

GLP/GMP/GCP/ISO Compliant.

Standard RS-232C Interface.

Highly Visible Display.

Functions: Animal Weighing, counting, percentage, Comparator, Statistical Calculation .

Auto power on-off.

Underhook for hanging applications, allows for measurement of magnetic materials and density measurements in air and water.

Multiple Weighing Units (g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, % and MLT).



With protection IP-65 against water and powder

## Accessories

Rechargeable battery.

Small breeze break.

Large breeze break.



Large breeze break

Animal weighing pan.

Quick USB interface with cable.

Water Proof RS-232C Cable.



Water Proof RS-232C Cable

AD-8121D printer.



AD-8121D printer

Software: WinCT-Plus; interface for windows.

Calibration weight.

---

<b>Model</b>	<b>PN</b>	<b>Capacity (Max)</b>	<b>Readability (d)</b>	<b>Pan size</b>
FX-120M-WP	322-105	120 g	0,001 g	ø 130
FX-300M-WP	322-106	320 g	0,001 g	ø 130
FX-1200C-WP	322-107	1220 g	0,01 g	ø 150
FX-3000C-WP	322-108	3200 g	0,01 g	ø 150